

TDMS No. 96015 - 05
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5
Pathologist: FARNELL, D. - HEATH, J. - JOKINEN, M.
F1_R2

Date Report Reqsted: 06/09/2006
Time Report Reqsted: 12:50:37
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

C Number: C96015
Lock Date: 04/30/2004
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL

TDMS No. 96015 - 05
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5
Pathologist: FARNELL, D. - HEATH, J. - JOKINEN, M.

Date Report Requested: 06/09/2006
Time Report Requested: 12:50:37
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

FISCHER 344 RATS MALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L
Disposition Summary				
Animals Initially in Study	50	50	50	50
Early Deaths				
Moribund Sacrifice	12	11	22	10
Natural Death	7	6	3	5
Survivors				
Terminal Sacrifice	31	33	25	35
Animals Examined Microscopically	50	50	50	50
ALIMENTARY SYSTEM				
Esophagus	(48)	(50)	(50)	(50)
Epithelium, Hyperkeratosis	6 (13%)	8 (16%)	34 (68%)	46 (92%)
Intestine Large, Cecum	(48)	(49)	(50)	(47)
Inflammation, Chronic	1 (2%)			
Ulcer			1 (2%)	
Intestine Large, Colon	(48)	(50)	(49)	(47)
Intestine Large, Rectum	(49)	(50)	(50)	(49)
Intestine Small, Duodenum	(49)	(49)	(50)	(48)
Congestion			1 (2%)	
Intestine Small, Ileum	(46)	(48)	(50)	(47)
Intestine Small, Jejunum	(47)	(46)	(49)	(47)
Liver	(50)	(50)	(50)	(50)
Angiectasis, Focal	1 (2%)	5 (10%)	3 (6%)	3 (6%)
Congestion		4 (8%)	2 (4%)	6 (12%)
Degeneration, Cystic, Focal	5 (10%)	5 (10%)	8 (16%)	4 (8%)
Fibrosis, Focal	1 (2%)			
Hematopoietic Cell Proliferation	1 (2%)	3 (6%)		
Hemorrhage			1 (2%)	
Hepatodiaphragmatic Nodule	5 (10%)	6 (12%)	3 (6%)	2 (4%)
Inflammation, Chronic	28 (56%)	31 (62%)	29 (58%)	34 (68%)
Necrosis	3 (6%)			
Bile Duct, Hyperplasia	45 (90%)	47 (94%)	47 (94%)	46 (92%)
Hepatocyte, Basophilic Focus	26 (52%)	32 (64%)	23 (46%)	25 (50%)
Hepatocyte, Clear Cell Focus	24 (48%)	22 (44%)	19 (38%)	22 (44%)
Hepatocyte, Cytologic Alterations, Focal	1 (2%)	5 (10%)	2 (4%)	6 (12%)
Hepatocyte, Cytoplasmic Alteration, Focal	2 (4%)			
Hepatocyte, Eosinophilic Focus	7 (14%)	8 (16%)	4 (8%)	7 (14%)

TDMS No. 96015 - 05
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5
Pathologist: FARNELL, D. - HEATH, J. - JOKINEN, M.

Date Report Requested: 06/09/2006
Time Report Requested: 12:50:37
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

FISCHER 344 RATS MALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L
Hepatocyte, Mixed Cell Focus	26 (52%)	24 (48%)	19 (38%)	29 (58%)
Hepatocyte, Necrosis		8 (16%)	7 (14%)	4 (8%)
Hepatocyte, Necrosis, Focal	1 (2%)			
Hepatocyte, Vacuolization Cytoplasmic	37 (74%)	37 (74%)	36 (72%)	29 (58%)
Serosa, Fibrosis		1 (2%)		
Mesentery	(14)	(18)	(18)	(15)
Accessory Spleen	1 (7%)	1 (6%)		
Fibrosis			1 (6%)	
Pigmentation			1 (6%)	
Fat, Necrosis, Focal	9 (64%)	10 (56%)	12 (67%)	7 (47%)
Oral Mucosa	(0)	(0)	(1)	(3)
Pancreas	(49)	(50)	(50)	(50)
Hyperplasia, Lymphoid	1 (2%)			1 (2%)
Inflammation		2 (4%)		
Lipomatosis				1 (2%)
Vacuolization Cytoplasmic			1 (2%)	
Acinus, Atrophy, Focal	24 (49%)	37 (74%)	33 (66%)	30 (60%)
Acinus, Atrophy, Diffuse				1 (2%)
Acinus, Cytoplasmic Alteration	1 (2%)			
Acinus, Hyperplasia, Focal		1 (2%)		1 (2%)
Duct, Cyst	24 (49%)	21 (42%)	24 (48%)	16 (32%)
Salivary Glands	(50)	(50)	(50)	(50)
Atrophy, Focal	1 (2%)			1 (2%)
Vacuolization Cytoplasmic				1 (2%)
Stomach, Forestomach	(50)	(49)	(50)	(50)
Inflammation			2 (4%)	
Ulcer	1 (2%)	1 (2%)	4 (8%)	3 (6%)
Epithelium, Cyst				1 (2%)
Epithelium, Hyperkeratosis				1 (2%)
Epithelium, Hyperplasia	4 (8%)	2 (4%)	8 (16%)	7 (14%)
Stomach, Glandular	(50)	(50)	(50)	(50)
Cyst				1 (2%)
Erosion	5 (10%)	4 (8%)	5 (10%)	6 (12%)
Fibrosis			1 (2%)	1 (2%)
Inflammation				1 (2%)
Inflammation, Focal	1 (2%)			
Ulcer	2 (4%)	2 (4%)	3 (6%)	3 (6%)
Epithelium, Hyperplasia				1 (2%)
Glands, Ectasia	4 (8%)	3 (6%)	3 (6%)	10 (20%)
Glands, Hyperplasia			2 (4%)	2 (4%)
Tongue	(0)	(0)	(3)	(5)

a - Number of animals examined microscopically at site and number of animals with lesion

TDMS No. 96015 - 05
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5
Pathologist: FARNELL, D. - HEATH, J. - JOKINEN, M.

Date Report Requested: 06/09/2006
Time Report Requested: 12:50:37
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

FISCHER 344 RATS MALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L
Epithelium, Hyperplasia			1 (33%)	2 (40%)
Tooth	(1)	(0)	(0)	(0)
Malformation	1 (100%)			
CARDIOVASCULAR SYSTEM				
Blood Vessel	(2)	(0)	(3)	(0)
Aneurysm	1 (50%)			
Hemorrhage	1 (50%)			
Inflammation, Chronic			1 (33%)	
Thrombosis			1 (33%)	
Heart	(50)	(50)	(50)	(50)
Cardiomyopathy	39 (78%)	44 (88%)	38 (76%)	45 (90%)
Thrombosis	2 (4%)		3 (6%)	1 (2%)
ENDOCRINE SYSTEM				
Adrenal Cortex	(50)	(50)	(50)	(50)
Accessory Adrenal Cortical Nodule	3 (6%)	3 (6%)	3 (6%)	2 (4%)
Angiectasis		1 (2%)		3 (6%)
Cytoplasmic Alteration, Focal	3 (6%)		2 (4%)	3 (6%)
Hematopoietic Cell Proliferation	1 (2%)			
Hyperplasia, Focal	5 (10%)	7 (14%)	1 (2%)	8 (16%)
Infiltration Cellular, Mixed Cell		1 (2%)		1 (2%)
Necrosis		1 (2%)		
Vacuolization Cytoplasmic	6 (12%)	3 (6%)	5 (10%)	11 (22%)
Capsule, Inflammation, Focal	1 (2%)			
Adrenal Medulla	(50)	(50)	(49)	(49)
Hyperplasia	1 (2%)		1 (2%)	
Hyperplasia, Focal	4 (8%)	9 (18%)	5 (10%)	4 (8%)
Necrosis		1 (2%)		
Islets, Pancreatic	(49)	(50)	(50)	(50)
Hyperplasia	3 (6%)		2 (4%)	5 (10%)
Parathyroid Gland	(46)	(44)	(43)	(47)
Hyperplasia			2 (5%)	2 (4%)
Pituitary Gland	(50)	(50)	(48)	(49)
Angiectasis	7 (14%)	8 (16%)	3 (6%)	6 (12%)
Cyst	2 (4%)	3 (6%)	4 (8%)	2 (4%)
Hemorrhage	5 (10%)		2 (4%)	2 (4%)
Pars Distalis, Cyst		2 (4%)	3 (6%)	

TDMS No. 96015 - 05
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5
Pathologist: FARNELL, D. - HEATH, J. - JOKINEN, M.

Date Report Requested: 06/09/2006
Time Report Requested: 12:50:37
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

FISCHER 344 RATS MALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L
Pars Distalis, Cytoplasmic Alteration, Focal	4 (8%)	2 (4%)	3 (6%)	2 (4%)
Pars Distalis, Degeneration, Cystic, Focal	1 (2%)			
Pars Distalis, Hyperplasia			1 (2%)	1 (2%)
Pars Distalis, Hyperplasia, Focal	6 (12%)	8 (16%)	2 (4%)	5 (10%)
Rathke's Cleft, Cyst		1 (2%)		
Thyroid Gland	(49)	(47)	(49)	(46)
Cyst		1 (2%)		
C-cell, Hyperplasia	38 (78%)	38 (81%)	45 (92%)	44 (96%)
Follicle, Degeneration, Cystic, Focal	1 (2%)	1 (2%)	1 (2%)	
Follicle, Pigmentation, Focal				1 (2%)
Follicular Cell, Hyperplasia, Focal	5 (10%)	6 (13%)		4 (9%)
GENERAL BODY SYSTEM				
Peritoneum	(2)	(6)	(0)	(2)
Inflammation				1 (50%)
Mesothelium, Tunica Vaginalis, Hyperplasia	2 (100%)			
Tissue NOS	(1)	(0)	(2)	(1)
Abdominal, Fibrosis			1 (50%)	1 (100%)
Thoracic, Hemorrhage	1 (100%)			
GENITAL SYSTEM				
Coagulating Gland	(1)	(0)	(1)	(0)
Inflammation	1 (100%)			
Epididymis	(50)	(50)	(50)	(50)
Atrophy		1 (2%)		
Fibrosis		1 (2%)		
Granuloma Sperm				1 (2%)
Inflammation	2 (4%)		1 (2%)	
Epithelium, Vacuolization Cytoplasmic	1 (2%)			1 (2%)
Preputial Gland	(48)	(50)	(50)	(50)
Cyst			1 (2%)	
Degeneration, Cystic	1 (2%)		2 (4%)	1 (2%)
Hyperplasia, Cystic	1 (2%)	3 (6%)	1 (2%)	1 (2%)
Inflammation	27 (56%)	27 (54%)	24 (48%)	22 (44%)
Prostate	(49)	(50)	(50)	(50)
Inflammation	36 (73%)	29 (58%)	34 (68%)	33 (66%)
Epithelium, Hyperplasia	7 (14%)	15 (30%)	5 (10%)	10 (20%)
Seminal Vesicle	(50)	(49)	(50)	(50)

a - Number of animals examined microscopically at site and number of animals with lesion

TDMS No. 96015 - 05
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5
Pathologist: FARNELL, D. - HEATH, J. - JOKINEN, M.

Date Report Requested: 06/09/2006
Time Report Requested: 12:50:37
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

FISCHER 344 RATS MALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L
Atrophy, Focal		1 (2%)		
Epithelium, Hyperplasia			1 (2%)	
Testes	(50)	(50)	(50)	(50)
Atrophy	14 (28%)	10 (20%)	4 (8%)	6 (12%)
Cyst		1 (2%)		
Hemorrhage			1 (2%)	1 (2%)
Inflammation, Granulomatous				1 (2%)
Interstitial Cell, Hyperplasia, Focal	3 (6%)	4 (8%)	7 (14%)	2 (4%)
HEMATOPOIETIC SYSTEM				
Bone Marrow	(50)	(50)	(50)	(50)
Hyperplasia	2 (4%)	5 (10%)	4 (8%)	6 (12%)
Hyperplasia, Histiocytic, Focal		1 (2%)		1 (2%)
Lymph Node	(26)	(24)	(19)	(21)
Ectasia				1 (5%)
Fibrosis				1 (5%)
Bronchial, Hyperplasia, Lymphoid				1 (5%)
Deep Cervical, Hemorrhage	1 (4%)	1 (4%)		
Mediastinal, Ectasia	1 (4%)	1 (4%)	3 (16%)	1 (5%)
Mediastinal, Hemorrhage	4 (15%)	2 (8%)	1 (5%)	4 (19%)
Mediastinal, Hyperplasia, Lymphoid		2 (8%)	4 (21%)	1 (5%)
Mediastinal, Pigmentation		1 (4%)		
Pancreatic, Ectasia		2 (8%)	1 (5%)	2 (10%)
Pancreatic, Hemorrhage	1 (4%)	3 (13%)	1 (5%)	4 (19%)
Pancreatic, Hyperplasia, Lymphoid	1 (4%)	1 (4%)		
Pancreatic, Pigmentation			1 (5%)	
Lymph Node, Mandibular	(1)	(0)	(3)	(0)
Ectasia	1 (100%)			
Lymph Node, Mesenteric	(50)	(50)	(50)	(50)
Atrophy				1 (2%)
Ectasia	2 (4%)	2 (4%)	2 (4%)	4 (8%)
Fibrosis	1 (2%)			
Hemorrhage		1 (2%)	1 (2%)	2 (4%)
Hyperplasia, Histiocytic			1 (2%)	1 (2%)
Hyperplasia, Lymphoid	2 (4%)	4 (8%)	2 (4%)	3 (6%)
Spleen	(49)	(50)	(50)	(50)
Accessory Spleen		1 (2%)	2 (4%)	
Congestion	1 (2%)		2 (4%)	
Fibrosis, Focal	3 (6%)		3 (6%)	1 (2%)
Hematopoietic Cell Proliferation	2 (4%)	4 (8%)	2 (4%)	3 (6%)

a - Number of animals examined microscopically at site and number of animals with lesion

TDMS No. 96015 - 05
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5
Pathologist: FARNELL, D. - HEATH, J. - JOKINEN, M.

Date Report Requested: 06/09/2006
Time Report Requested: 12:50:37
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

FISCHER 344 RATS MALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L
Hemorrhage			1 (2%)	1 (2%)
Hyperplasia, Histiocytic, Focal		1 (2%)	1 (2%)	1 (2%)
Hyperplasia, Lymphoid		1 (2%)		
Infiltration Cellular, Mixed Cell			1 (2%)	
Necrosis, Focal	1 (2%)		2 (4%)	
Pigmentation			1 (2%)	
Lymphoid Follicle, Atrophy			1 (2%)	1 (2%)
Red Pulp, Depletion Cellular	1 (2%)			
Thymus	(43)	(50)	(44)	(45)
Atrophy	1 (2%)			
Ectopic Parathyroid Gland		1 (2%)		
Hemorrhage	1 (2%)			
Hyperplasia, Lymphoid				1 (2%)
INTEGUMENTARY SYSTEM				
Mammary Gland	(46)	(49)	(47)	(46)
Dilatation	13 (28%)	9 (18%)	14 (30%)	9 (20%)
Fibrosis	1 (2%)			
Inflammation, Granulomatous, Focal	1 (2%)			
Skin	(50)	(50)	(50)	(50)
Cyst Epithelial Inclusion	2 (4%)	2 (4%)		1 (2%)
Hyperkeratosis, Focal		2 (4%)		2 (4%)
Inflammation, Focal		1 (2%)	1 (2%)	
Ulcer				1 (2%)
Epidermis, Hyperplasia, Focal		1 (2%)	2 (4%)	1 (2%)
Subcutaneous Tissue, Edema				1 (2%)
MUSCULOSKELETAL SYSTEM				
Bone	(50)	(50)	(50)	(50)
Fibrous Osteodystrophy				1 (2%)
Hyperostosis		1 (2%)		
Femur, Hyperostosis			1 (2%)	
Skeletal Muscle	(1)	(3)	(1)	(1)
Fibrosis			1 (100%)	
NERVOUS SYSTEM				
Brain	(50)	(50)	(50)	(50)

a - Number of animals examined microscopically at site and number of animals with lesion

TDMS No. 96015 - 05
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5
Pathologist: FARNELL, D. - HEATH, J. - JOKINEN, M.

Date Report Requested: 06/09/2006
Time Report Requested: 12:50:37
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

FISCHER 344 RATS MALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L
Compression, Focal Hemorrhage	5 (10%)	8 (16%)	12 (24%)	9 (18%)
Hemorrhage, Focal Peripheral Nerve	4 (8%) (2)	2 (4%) (0)	3 (6%) (4)	2 (4%) (0)
RESPIRATORY SYSTEM				
Lung	(50)	(50)	(50)	(50)
Congestion	1 (2%)	1 (2%)	2 (4%)	1 (2%)
Hemorrhage			1 (2%)	1 (2%)
Infiltration Cellular, Mixed Cell		2 (4%)		
Inflammation	2 (4%)	2 (4%)		2 (4%)
Metaplasia, Osseous, Focal	1 (2%)			
Metaplasia, Squamous, Focal			1 (2%)	
Alveolar Epithelium, Hyperplasia	12 (24%)	10 (20%)	8 (16%)	6 (12%)
Serosa, Fibrosis				1 (2%)
Nose	(50)	(50)	(50)	(50)
Foreign Body			1 (2%)	
Inflammation			1 (2%)	2 (4%)
Nasolacrimal Duct, Inflammation	2 (4%)			
Trachea	(50)	(50)	(50)	(50)
Inflammation				1 (2%)
SPECIAL SENSES SYSTEM				
Eye	(48)	(47)	(48)	(47)
Atrophy	1 (2%)		1 (2%)	
Cataract			1 (2%)	
Edema			1 (2%)	
Retina, Degeneration			1 (2%)	
Harderian Gland	(50)	(50)	(50)	(50)
Hyperplasia, Lymphoid, Focal	1 (2%)			
Inflammation		1 (2%)		
Epithelium, Hyperplasia, Focal	3 (6%)	3 (6%)	1 (2%)	6 (12%)
Zymbal's Gland	(0)	(0)	(2)	(0)
URINARY SYSTEM				
Kidney	(49)	(50)	(50)	(50)
Infarct	2 (4%)	1 (2%)	2 (4%)	

a - Number of animals examined microscopically at site and number of animals with lesion

TDMS No. 96015 - 05
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5
Pathologist: FARNELL, D. - HEATH, J. - JOKINEN, M.

Date Report Requested: 06/09/2006
Time Report Requested: 12:50:37
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

FISCHER 344 RATS MALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L
Mineralization			1 (2%)	
Nephropathy	48 (98%)	47 (94%)	45 (90%)	45 (90%)
Renal Tubule, Accumulation, Hyaline Droplet	1 (2%)	7 (14%)	1 (2%)	1 (2%)
Renal Tubule, Cyst	2 (4%)			1 (2%)
Renal Tubule, Pigmentation	2 (4%)	2 (4%)		2 (4%)
Urethra	(0)	(1)	(1)	(0)
Urinary Bladder	(50)	(50)	(49)	(50)
Hemorrhage	1 (2%)		1 (2%)	

*** END OF MALE ***

TDMS No. 96015 - 05
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5
Pathologist: FARNELL, D. - HEATH, J. - JOKINEN, M.

Date Report Requested: 06/09/2006
Time Report Requested: 12:50:37
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

FISCHER 344 RATS FEMALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L
Disposition Summary				
Animals Initially in Study	50	50	50	50
Early Deaths				
Moribund Sacrifice	9	11	16	12
Natural Death	12	4	5	7
Survivors				
Terminal Sacrifice	29	35	29	31
Animals Examined Microscopically	50	50	50	50

ALIMENTARY SYSTEM

Esophagus	(49)	(50)	(50)	(50)
Ulcer				1 (2%)
Epithelium, Hyperkeratosis	10 (20%)	8 (16%)	28 (56%)	48 (96%)
Intestine Large, Cecum	(46)	(50)	(47)	(50)
Intestine Large, Colon	(48)	(50)	(49)	(50)
Intestine Large, Rectum	(49)	(49)	(48)	(49)
Intestine Small, Duodenum	(49)	(50)	(50)	(49)
Intestine Small, Ileum	(45)	(48)	(49)	(49)
Intestine Small, Jejunum	(42)	(48)	(48)	(46)
Liver	(50)	(50)	(50)	(50)
Angiectasis, Focal	2 (4%)	1 (2%)	1 (2%)	3 (6%)
Congestion	3 (6%)	5 (10%)	4 (8%)	6 (12%)
Degeneration, Cystic, Focal	1 (2%)		1 (2%)	
Hematopoietic Cell Proliferation			3 (6%)	1 (2%)
Hepatodiaphragmatic Nodule	7 (14%)	5 (10%)	6 (12%)	3 (6%)
Infiltration Cellular, Lymphocyte			1 (2%)	
Inflammation, Chronic	35 (70%)	41 (82%)	30 (60%)	34 (68%)
Thrombosis	1 (2%)			
Bile Duct, Hyperplasia	29 (58%)	29 (58%)	32 (64%)	29 (58%)
Hepatocyte, Basophilic Focus	39 (78%)	47 (94%)	41 (82%)	41 (82%)
Hepatocyte, Clear Cell Focus	11 (22%)	15 (30%)	14 (28%)	14 (28%)
Hepatocyte, Cytologic Alterations, Focal	6 (12%)	10 (20%)	16 (32%)	16 (32%)
Hepatocyte, Eosinophilic Focus	2 (4%)	3 (6%)	6 (12%)	1 (2%)
Hepatocyte, Mixed Cell Focus	14 (28%)	25 (50%)	15 (30%)	25 (50%)
Hepatocyte, Necrosis	2 (4%)	1 (2%)	6 (12%)	3 (6%)
Hepatocyte, Syncytial Alteration, Focal	1 (2%)			
Hepatocyte, Vacuolization Cytoplasmic	22 (44%)	27 (54%)	29 (58%)	23 (46%)

a - Number of animals examined microscopically at site and number of animals with lesion

TDMS No. 96015 - 05
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5
Pathologist: FARNELL, D. - HEATH, J. - JOKINEN, M.

Date Report Requested: 06/09/2006
Time Report Requested: 12:50:37
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

FISCHER 344 RATS FEMALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L
Mesentery	(20)	(11)	(17)	(15)
Accessory Spleen		1 (9%)		1 (7%)
Fat, Necrosis, Focal	14 (70%)	8 (73%)	10 (59%)	11 (73%)
Oral Mucosa	(0)	(0)	(1)	(1)
Hyperplasia				1 (100%)
Pancreas	(50)	(50)	(50)	(50)
Acinus, Atrophy, Focal	12 (24%)	20 (40%)	19 (38%)	17 (34%)
Acinus, Atrophy, Diffuse		1 (2%)		
Acinus, Cytoplasmic Alteration				1 (2%)
Acinus, Hyperplasia	1 (2%)			
Acinus, Hyperplasia, Focal	1 (2%)			
Duct, Cyst	8 (16%)	13 (26%)	7 (14%)	4 (8%)
Salivary Glands	(50)	(50)	(50)	(50)
Atrophy, Focal	1 (2%)			
Stomach, Forestomach	(50)	(50)	(50)	(50)
Erosion			1 (2%)	1 (2%)
Inflammation		1 (2%)	1 (2%)	
Ulcer	5 (10%)		1 (2%)	2 (4%)
Epithelium, Hyperplasia	4 (8%)	4 (8%)	8 (16%)	4 (8%)
Stomach, Glandular	(49)	(50)	(50)	(50)
Erosion	4 (8%)		4 (8%)	1 (2%)
Inflammation, Focal				1 (2%)
Mineralization		1 (2%)		
Ulcer			2 (4%)	1 (2%)
Epithelium, Hyperplasia	1 (2%)			
Glands, Ectasia	10 (20%)	4 (8%)	10 (20%)	26 (52%)
Glands, Hyperplasia				2 (4%)
Neuroendocrine Cell, Hyperplasia				1 (2%)
Tongue	(2)	(1)	(5)	(7)
Epithelium, Hyperplasia	1 (50%)	1 (100%)	2 (40%)	6 (86%)
Tooth	(1)	(0)	(0)	(0)
Peridontal Tissue, Inflammation	1 (100%)			
CARDIOVASCULAR SYSTEM				
Heart	(50)	(50)	(50)	(50)
Cardiomyopathy	34 (68%)	36 (72%)	36 (72%)	35 (70%)
Thrombosis	3 (6%)		2 (4%)	1 (2%)
Endocardium, Hyperplasia		1 (2%)		

TDMS No. 96015 - 05
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
 CAS Number: 3252-43-5
 Pathologist: FARNELL, D. - HEATH, J. - JOKINEN, M.

Date Report Requested: 06/09/2006
 Time Report Requested: 12:50:37
 First Dose M/F: 09/05/01 / 09/05/01
 Lab: SRI

FISCHER 344 RATS FEMALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L
ENDOCRINE SYSTEM				
Adrenal Cortex	(50)	(50)	(50)	(50)
Accessory Adrenal Cortical Nodule	6 (12%)	1 (2%)	1 (2%)	2 (4%)
Angiectasis	5 (10%)	1 (2%)	3 (6%)	1 (2%)
Cytoplasmic Alteration, Focal	2 (4%)		4 (8%)	1 (2%)
Hyperplasia	1 (2%)			
Hyperplasia, Focal	2 (4%)	9 (18%)	10 (20%)	8 (16%)
Infiltration Cellular, Mixed Cell			1 (2%)	2 (4%)
Necrosis				1 (2%)
Pigmentation	1 (2%)			
Vacuolization Cytoplasmic	9 (18%)	8 (16%)	9 (18%)	6 (12%)
Adrenal Medulla	(49)	(50)	(50)	(50)
Angiectasis			1 (2%)	
Hyperplasia, Focal	2 (4%)	2 (4%)	1 (2%)	5 (10%)
Infiltration Cellular, Mixed Cell				1 (2%)
Vacuolization Cytoplasmic, Focal			1 (2%)	
Islets, Pancreatic	(50)	(50)	(50)	(49)
Hyperplasia		1 (2%)	1 (2%)	
Parathyroid Gland	(42)	(42)	(43)	(43)
Atrophy	1 (2%)			
Hyperplasia	1 (2%)			
Pituitary Gland	(49)	(48)	(50)	(50)
Angiectasis	6 (12%)	3 (6%)	5 (10%)	7 (14%)
Cyst	5 (10%)	3 (6%)	2 (4%)	4 (8%)
Fibrosis, Focal				1 (2%)
Hemorrhage	6 (12%)	4 (8%)		2 (4%)
Hyperplasia, Histiocytic, Focal	1 (2%)			
Pars Distalis, Cyst	4 (8%)	6 (13%)	5 (10%)	12 (24%)
Pars Distalis, Cytoplasmic Alteration, Focal	1 (2%)	2 (4%)		2 (4%)
Pars Distalis, Hyperplasia				2 (4%)
Pars Distalis, Hyperplasia, Focal	8 (16%)	7 (15%)	9 (18%)	10 (20%)
Pars Intermedia, Hyperplasia, Focal	1 (2%)			
Pars Intermedia, Vacuolization Cytoplasmic, Focal			1 (2%)	
Rathke's Cleft, Cyst	1 (2%)		1 (2%)	1 (2%)
Thyroid Gland	(46)	(48)	(48)	(46)
C-cell, Hyperplasia	38 (83%)	44 (92%)	45 (94%)	42 (91%)

GENERAL BODY SYSTEM

TDMS No. 96015 - 05
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5
Pathologist: FARNELL, D. - HEATH, J. - JOKINEN, M.

Date Report Requested: 06/09/2006
Time Report Requested: 12:50:37
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

FISCHER 344 RATS FEMALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L
None				
GENITAL SYSTEM				
Clitoral Gland	(50)	(50)	(47)	(50)
Cyst				1 (2%)
Degeneration, Cystic	2 (4%)	2 (4%)	4 (9%)	6 (12%)
Hyperplasia		1 (2%)		
Hyperplasia, Cystic	4 (8%)	3 (6%)	8 (17%)	4 (8%)
Inflammation	7 (14%)	2 (4%)	1 (2%)	3 (6%)
Metaplasia, Squamous			1 (2%)	
Ovary	(50)	(50)	(50)	(50)
Angiectasis	1 (2%)			
Cyst	3 (6%)	4 (8%)	3 (6%)	6 (12%)
Oviduct	(1)	(0)	(1)	(0)
Uterus	(50)	(50)	(50)	(50)
Decidual Reaction		1 (2%)		
Hemorrhage	1 (2%)	2 (4%)		1 (2%)
Cervix, Hypertrophy	1 (2%)			
Endometrium, Hyperplasia, Cystic	32 (64%)	38 (76%)	39 (78%)	32 (64%)
Vagina	(6)	(2)	(7)	(7)
Inflammation		1 (50%)	1 (14%)	2 (29%)
Inflammation, Suppurative	1 (17%)			
Epithelium, Cyst			1 (14%)	1 (14%)
HEMATOPOIETIC SYSTEM				
Bone Marrow	(49)	(50)	(50)	(50)
Hyperplasia	3 (6%)	1 (2%)	5 (10%)	2 (4%)
Hyperplasia, Histiocytic, Focal	1 (2%)	1 (2%)		1 (2%)
Hyperplasia, Reticulum Cell, Diffuse		1 (2%)		
Inflammation, Granulomatous		1 (2%)		
Lymph Node	(21)	(15)	(23)	(15)
Congestion			1 (4%)	
Deep Cervical, Hemorrhage	1 (5%)		1 (4%)	
Mediastinal, Ectasia	1 (5%)		4 (17%)	
Mediastinal, Hemorrhage	7 (33%)	6 (40%)	6 (26%)	3 (20%)
Mediastinal, Hyperplasia, Histiocytic			1 (4%)	
Mediastinal, Hyperplasia, Lymphoid	1 (5%)	2 (13%)	4 (17%)	2 (13%)
Mediastinal, Inflammation, Granulomatous	1 (5%)			

a - Number of animals examined microscopically at site and number of animals with lesion

TDMS No. 96015 - 05
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5
Pathologist: FARNELL, D. - HEATH, J. - JOKINEN, M.

Date Report Requested: 06/09/2006
Time Report Requested: 12:50:37
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

FISCHER 344 RATS FEMALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L
Mediastinal, Pigmentation		1 (7%)		1 (7%)
Pancreatic, Amyloid Deposition			1 (4%)	
Pancreatic, Ectasia	1 (5%)			
Pancreatic, Hemorrhage	3 (14%)	2 (13%)	2 (9%)	2 (13%)
Pancreatic, Inflammation, Granulomatous	1 (5%)			
Lymph Node, Mandibular	(3)	(2)	(2)	(2)
Ectasia	1 (33%)			
Lymph Node, Mesenteric	(50)	(50)	(50)	(50)
Ectasia	1 (2%)		2 (4%)	1 (2%)
Hemorrhage			1 (2%)	
Hyperplasia, Lymphoid	2 (4%)	1 (2%)		2 (4%)
Inflammation, Granulomatous	1 (2%)	1 (2%)		
Pigmentation	1 (2%)			
Spleen	(50)	(50)	(50)	(50)
Hematopoietic Cell Proliferation	4 (8%)	2 (4%)	4 (8%)	5 (10%)
Hyperplasia, Histiocytic, Focal	2 (4%)			
Inflammation, Granulomatous	1 (2%)	1 (2%)		
Pigmentation	6 (12%)			1 (2%)
Lymphoid Follicle, Atrophy				1 (2%)
Thymus	(48)	(49)	(48)	(49)
Hemorrhage				1 (2%)
Hyperplasia, Lymphoid	2 (4%)	1 (2%)		
INTEGUMENTARY SYSTEM				
Mammary Gland	(49)	(50)	(50)	(50)
Dilatation	38 (78%)	41 (82%)	33 (66%)	32 (64%)
Fibrosis		1 (2%)	2 (4%)	1 (2%)
Galactoceles	2 (4%)			1 (2%)
Skin	(50)	(50)	(50)	(49)
Cyst Epithelial Inclusion			1 (2%)	
Ulcer	1 (2%)	1 (2%)		1 (2%)
Subcutaneous Tissue, Fibrosis, Focal	1 (2%)			
Subcutaneous Tissue, Necrosis, Fatty			1 (2%)	
MUSCULOSKELETAL SYSTEM				
Bone	(50)	(50)	(50)	(50)
Hyperostosis				1 (2%)
Cranium, Hyperostosis			1 (2%)	

a - Number of animals examined microscopically at site and number of animals with lesion

TDMS No. 96015 - 05
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5
Pathologist: FARNELL, D. - HEATH, J. - JOKINEN, M.

Date Report Requested: 06/09/2006
Time Report Requested: 12:50:37
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

FISCHER 344 RATS FEMALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L
Skeletal Muscle	(3)	(0)	(0)	(0)
NERVOUS SYSTEM				
Brain	(50)	(50)	(50)	(50)
Compression, Focal	12 (24%)	12 (24%)	19 (38%)	6 (12%)
Hemorrhage, Focal	2 (4%)	1 (2%)	1 (2%)	2 (4%)
Spinal Cord	(5)	(3)	(2)	(4)
Atrophy, Focal	1 (20%)			
Hemorrhage, Focal				1 (25%)
RESPIRATORY SYSTEM				
Lung	(50)	(50)	(50)	(50)
Congestion	3 (6%)	1 (2%)	1 (2%)	2 (4%)
Hemorrhage	1 (2%)		1 (2%)	2 (4%)
Hyperplasia, Histiocytic, Focal		1 (2%)		
Inflammation	3 (6%)	1 (2%)	3 (6%)	7 (14%)
Metaplasia, Squamous, Focal	1 (2%)			
Alveolar Epithelium, Hyperplasia	10 (20%)	5 (10%)	2 (4%)	5 (10%)
Interstitial, Edema	1 (2%)			
Nose	(50)	(50)	(50)	(50)
Nasolacrimal Duct, Inflammation		1 (2%)		1 (2%)
Trachea	(50)	(50)	(50)	(50)
SPECIAL SENSES SYSTEM				
Eye	(47)	(50)	(50)	(48)
Atrophy		2 (4%)	1 (2%)	3 (6%)
Cataract	3 (6%)	2 (4%)		
Exudate	1 (2%)			
Retina, Degeneration	2 (4%)	2 (4%)		
Harderian Gland	(50)	(50)	(50)	(50)
Degeneration, Cystic, Focal				1 (2%)
Hyperplasia, Lymphoid, Focal	1 (2%)			
Inflammation			1 (2%)	
Epithelium, Hyperplasia, Focal	4 (8%)		1 (2%)	1 (2%)
Zymbal's Gland	(0)	(0)	(1)	(0)

TDMS No. 96015 - 05
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5
Pathologist: FARNELL, D. - HEATH, J. - JOKINEN, M.

Date Report Requested: 06/09/2006
Time Report Requested: 12:50:37
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

FISCHER 344 RATS FEMALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L
URINARY SYSTEM				
Kidney	(50)	(49)	(50)	(49)
Congestion				1 (2%)
Infarct	1 (2%)	1 (2%)		4 (8%)
Infiltration Cellular, Lymphocyte			1 (2%)	
Mineralization		1 (2%)		
Nephropathy	33 (66%)	36 (73%)	44 (88%)	43 (88%)
Pelvis, Inflammation, Chronic	1 (2%)			7 (14%)
Renal Tubule, Accumulation, Hyaline Droplet	11 (22%)	18 (37%)	17 (34%)	14 (29%)
Renal Tubule, Cyst	1 (2%)	1 (2%)		1 (2%)
Renal Tubule, Hyperplasia, Focal			1 (2%)	
Renal Tubule, Pigmentation	1 (2%)			
Urinary Bladder	(50)	(50)	(49)	(50)

*** END OF REPORT ***